

Electric Vehicle

hyundai Electric Vehicle Manufacturing Co., Ltd.



14인승 전기 셔틀버스 EG-6158K



8인승 전기 셔틀버스 EG-6088K



11인승 전기 셔틀버스 EG-6118K



Model	EG6158K	EG6158 K01	EG6158 K02	EG6158 K03	EG6158 K04	EG6118 KA02	EG6118 KA03	EG6088K	EG6088K03	EG6088K04
제품출력	72V/5kW DC	48V/5kW DC	48V/5kW SepEx	72V/7kW AC	72V/7.5kW AC	72V/5KW DC	72V/7KW AC	48V/3kW DC	72V/5kW DC	72V/7kW AC
탑승인원	14명	14명	14명	14명	14명	11명	14명	8명	8명	8명
최고속도	45 km/h	40 km/h	40 km/h	40 km/h	50 km/h	32 km/h	42 km/h	35 km/h	32 km/h	42 km/h
적재중량	1120kgs	1120kgs	1120kgs	1120kgs	1120kgs	880kgs	880kgs	640kgs	640kgs	640kgs
공차중량	1270kgs	1390kgs	1390kgs	1210kgs	1270kgs	1120kgs	1120kgs	1010kgs	1120kgs	1120kgs
제품사이즈	5000mm x 1490mm x 2050mm					4230mm x 1490mm x 2050mm		4230mm x 1490mm x 2050mm		
시트배열 : 1~3열 전방 / 4열 후향										

14인승 AW-6142KF, 8인승 AW-6082KF



14인승 AW-6142K, 11인승 AW-6082KT, 8인승 AW-6082K



Model	AW6142K01	AW6142K02	AW6142K03	AW6142K04
제품출력	72V/5kW DC	72V/7kW AC	48V/5kW DC	48V/5kW DC Sepex
탑승인원	14명	14명	14명	14명
최고속도	45 km/h	40 km/h	40 km/h	40 km/h
적재중량	1120kgs	1120kgs	1120kgs	1120kgs
공차중량				
제품사이즈	5050mm × 1525mm × 2050mm			

Model	AW6082KT03	AW6082KT04
제품출력	72V/5kW DC	72V/7kW AC
탑승인원	11명	11명
최고속도	30 km/h	40 km/h
적재중량	880kgs	880kgs
공차중량	1300kgs	1300kgs
제품사이즈	3500mm x 2000mm x 2050mm	

Model	AW6082K01	AW6082K03	AW6082K04
제품출력	48V / 3kW DC	72V / 5kW DC	72V / 7kW AC
탑승인원	8명	8명	8명
최고속도	35 km/h	32 km/h	42 km/h
적재중량	640kgs	640kgs	640kgs
공차중량	1010kgs	1120kgs	1120kgs
제품사이즈	3850mm x 1525mm x 2050mm		

EG-2048H (4인승 + 소형적재함)



EG-2048HCX (2인승 + 중형적재함)



EG-2028H



Model	EG2048 H	EG2048 H01
제품출력	48V / 4kW SepEx	48V / 4kW AC
탑승인원	4명	4명
최고속도	32 km/h	40 km/h
적재중량	450kgs	450kgs
공차중량	650kgs	650kgs
제품사이즈	3430mm x 1180mm x 1800mm	
적재함크기	700 mm x 1100 mm x 250 mm	

Model	EG2048 HCX	EG2048 HCX01
제품출력	48V / 4kW SepEx	48V / 4kW AC
탑승인원	4명	4명
최고속도	32 km/h	40 km/h
적재중량	450kgs	450kgs
공차중량	580kgs	580kgs
제품사이즈	3180mm x 1180mm x 1890mm	
적재함크기	1400 mm x 1100 mm x 250 mm	

Model	EG2028 H	EG2028 H01	EG2028 H02
제품출력	48V / 4kW SepEx	36V / 3kW SepEx	48V / 3kW AC
탑승인원	2명	2명	2명
최고속도	32 km/h	21 km/h	40 km/h
적재중량	320kgs	320kgs	320kgs
공차중량	600kgs	540kgs	600kgs
제품사이즈	2670mm x 1180mm x 1890mm		
적재함크기	700 mm x 1100 mm x 250 mm		

AW-6042HF



AW-6042KFCX



AW-6062HF



AW-6042H



AW-6042KCX



AW-6062H



(6042H = 6042KCX)

Model	AW6042H01	AW6042H03	AW6042H04
제품출력	48V / 4kW DC	48V / 4kW DC Sepex	48V / 5kW AC
탑승인원	2명	2명	2명
최고속도	30 km/h	32 km/h	40 km/h
적재중량	400 kgs	400 kgs	400 kgs
공차중량	700 kgs	700 kgs	700 kgs
제품사이즈	3090mm × 1490mm × 1950mm		
적재함사이즈	around 1100mm x 1350mm x 250mm		

Model	AW6062H01	AW6062H03	AW6062H04
제품출력	48V / 4kW DC	48V / 4kW DC Sepex	48V / 5kW AC
탑승인원	2명	2명	2명
최고속도	30 km/h	32 km/h	40 km/h
적재중량	400 kgs	400 kgs	400 kgs
공차중량	800 kgs	800 kgs	800 kgs
제품사이즈	3880mm x 1480mm x 1900mm		
적재함사이즈	2100 x 1350 x 280mm		

EG6032H



EG6022X



Model	EG6022 H	EG6032 H	EG6042 H
제품출력	72V / 5kW DC	72V / 5kW DC	72V / 6.3kW DC
탑승/적재	1 ton	1.5 ton	2 ton
최고속도	50 km/h	55 km/h	55 km/h
공차중량		1680 kgs	1730 kgs
제품사이즈	4200 × 1500 × 2150mm	4580 × 1500 × 2150mm	4810 × 1500 × 2150mm
적재함크기	2600 × 1500 × 430mm	3000 × 1500 × 430mm	3000 × 1500 × 430mm

EG6022 X
72V / 5kW DC
1 ton
50 km/h
4200 × 1500 × 2150mm
2600 × 1500 × 430mm

AW6082KFT



AW6082KFCX



AW6082KCX



Model	AW6082KFT03 (2ton)	AW6082KFT05 (3ton)
제품출력	72V / 6.3kW DC	72V / 8.5kW DC
탑승인원	2명	2명
최고속도	12 km/h	12 km/h
적재중량	2000 kgs	3000 kgs
공차중량	1120kgs	1120kgs
제품사이즈	3850mm x 1525mm x 2050mm	
적재함크기	around 2200 x 1400 x 400mm	

Model	AW6082KFCX03(AW6082KCX03)	AW6082KFCX04(AW6082KCX04)
제품출력	72V / 5kW DC	72V / 7kW AC
탑승인원	2명	2명
최고속도	25 km/h	35 km/h
적재중량	300 kgs	300 kgs
공차중량	1320kgs	1320kgs
제품사이즈	3850mm x 1525mm x 2050mm	
적재함크기	around 2200 x 1400 x 400mm	

EG-2028KSZ (2~4인승)



EG-2048KSZ (4~6인승)



EG-6020A4D

EG-2020ASZ



Model	EG2028KSZ	EG2028KSZ01	EG2028KSZ02	EG2048 KSZ	EG2048 KSZ01	EG2020 ASZ	EG2020 ASZ01	EG6020 A4D
제품출력	48V/4kW SepEx	36V/3kW SepEx	48V/3kW AC	48V/4kW SepEx	48V/4kW AC	48V/4kW SepEx	48V/4kW AC	48V / 4kW SepEx x 2 pcs
탑승인원	2명 (뒷좌석 폴딩시) / 4명 (뒷좌석 개방시)			4명 (뒷좌석 폴딩시) / 6명 (뒷좌석 개방시)		상시 2륜구동 (후륜)		2WD-4WD 전환형
최고속도	32 km/h	21 km/h	40 km/h	32 km/h	40 km/h	32 km/h	40 km/h	40 km/h
적재중량	320kgs	320kgs	320kgs	480kgs	480kgs	300kgs	300kgs	400kgs
공차중량	614kgs	554kgs	614kgs	660kgs	660kgs	611kgs	611kgs	770kgs
제품사이즈	2670 mm x 1180mm x 1890mm			3620 mm x 1180mm x 1890mm		2950mm x 1340mm x 1990 mm		3030 x 1395 x 1990mm
적재함크기								1100 x 1300 x 250mm

6인승 전기자동차 AW-6062KF



AW-6042K

4인승 전기자동차 AW-6042KF



AW-6062K



Model	AW6042K01	AW6042K03	AW6042K04
제품출력	48V / 4kW DC	48V / 4kW DC Sepex	48V / 5kW AC
탑승인원	4명	4명	4명
최고속도	30 km/h	32 km/h	40 km/h
적재중량	400 kgs	400 kgs	400 kgs
공차중량	700 kgs	700 kgs	700 kgs
제품사이즈	3090mm × 1490mm × 1950mm		

Model	AW6062K01	AW6062K03	AW6062K04
제품출력	48V / 4kW DC	48V / 4kW DC Sepex	48V / 5kW AC
탑승인원	6명	6명	4명
최고속도	30 km/h	32 km/h	40 km/h
적재중량	400 kgs	400 kgs	400 kgs
공차중량	800 kgs	800 kgs	800 kgs
제품사이즈	3880mm x 1480mm x 1900mm		

4인승 전동골프카 EG2048 K

6인승 전동골프카 EG-2068K



2인승 전동골프카 EG-2028K



Model	EG2068K	EG2068K01	EG2068K02	EG2048K	EG2048K01	EG2048K03	EG2048 K04	EG2028K	EG2028K01	EG2028K02	EG2028K03	EG2028K04
제품출력	48V/4kW Sep	48V/5kW Sep	48V/4kW AC	48V/3kW Sep	48V/4kW Sep	36V/3kW Sep	48V/3kW AC	36V/3kW Sep	48V/3kW Sep	48V/4kW Sep	48V/4kW Sep	48V/3kW AC
탑승인원	6명	6명	6명	4명	4명	4명	4명	2명	2명	2명	2명	2명
최고속도	32 km/h	32 km/h	40 km/h	25 km/h	32 km/h	21 km/h	40 km/h	25 km/h	32 km/h	40 km/h	40 km/h	40 km/h
적재중량	480kgs	480kgs	480kgs	320kgs	320kgs	320kgs	320kgs	270kgs	270kgs	270kgs	270kgs	270kgs
공차중량	690kgs	691kgs	691kgs	500kgs	500kgs	500kgs	500kgs	470kgs	471kgs	473kgs	528kgs	528kgs
제품사이즈	3860mm x 1180mm x 1890mm			3110mm x 1180mm x 1890mm				4230mm x 1490mm x 2050mm				

KD-28E



KD-5011



KD-5010



Model	KD-28E	KD-5011	KD-5010
제품출력	72V AC 7.5KW	42V AC 7.5KW	42V AC 7.5KW
탑승인원	2명	2명	2명
최고속도	40 km/h	72 km/h	72 km/h
적재중량	180 kgs	150 kgs	150 kgs
공차중량	910 kgs	960 kgs	980 kgs
제품사이즈	2630mmx1545mmx1560mm	2900mm*1545mm*1590mm	2900mm*1545mm*1590mm

트럭: AW-1020H, AW-1030H / 트럭+컨테이너: AW-1020HT, AW-1030HT



+



AW-1010HT



소방용 NEV 차량



AW-1010HC



AW1010HT(전동앨블런스)



AW-1010H, Lu-800



Model	AW1020HT (1톤)	AW1030HT (2톤)	AW1010HT01	AW1010HT02	AW1010HC	AW1010HT (앨블런스)	AW1010H (Lu-800)
제품출력	5KW 48V DC	6.3KW 72V DC	36V / 1.5kW	48V / 1.5kW	24V / 1.5kW	24V / 1.5kW	24V / 1.5kW
탑승인원	2명	2명	2명	2명	2명	2명	2명
최고속도	38 km/h	40 km/h	25 km/h	28 km/h	10 km/h	10 km/h	10 km/h
적재중량	1000kgs, 600kgs	2000kgs, 1500kgs	250 kgs	250 kgs	적재 800 kg / 견인 2,000 kg		
공차중량			500 kgs	500 kgs	500kg	500kg	500kg
제품사이즈	3400 x 1390 x 1200	3900 x 1450 x 1420	2250mm x 900mm x 1200mm		2250x900x1600	2250x1000x1200	2250x900x1200 (2200x900x1200)
적재함크기	2110 x 1370 x 250	2680 x 1450 x 250			1200x90x1000		

DG-C1



DU-G1



AW-3010Y



AW-1040K



AW-1020J



AW-3040Y



Model	DG-C1	DU-G1	AW-3010Y	AW1040K	AW1040K01	AW1020J	AW3040Y
제품출력	36V / 1.3kW DC	36V / 1.2kW DC	24V / 1.5kW DC	24V / 1.5kW	36V / 3kW	36V / 3kW	24V / 2.2kW
탑승인원	1명	1명	1명	4명	4명	2명	1명
최고속도	15 km/h	15 km/h	13 km/h	10 km/h	20 km/h	20 km/h	15 km/h
적재중량	100 kgs	100 kgs	견인:1500kgs	800 kgs 이하	800 kgs 이하	1000kgs	3000kgs
공차중량	125 kgs	125 kgs	400 kgs	500kg	500kg	500kg	800kg
제품사이즈	1670x840x1660	1670x840x1660	1930x770x1250	2250x900x1200	2380x900x1200	2380x900x1200	2150X770X1200
적재함크기							

AW2022HF



Electric Roadster



DN-4D



Electric Train
기차형 전동버스(29인승)



Model	AW2022HF01	AW2022HF02
제품출력	48V Sepex DC	48V, AC
탑승인원	2명	2명
최고속도	32 km/h	32 km/h
적재중량	320 kgs	320 kgs
공차중량	590 kgs	590 kgs
제품사이즈	2710mm x 1200mm x 1760mm	
적재함크기	870mm x 1100mm x 260mm	

Electric Roadster
48V/4KW Series
4명(5명 탑승가능)
25 km/h
375 kgs
1000 kgs
4400mm x 1650mm x 1850mm

DN-4D
48V/3KW
4명
28 km/h
250 kgs
460 kgs (배터리 불포함)
3140mm x 1235mm x 1300mm

Electric Train
72V / 6.3KW
29인승(앞14명, 뒤15명)
25 km/h
2175 kgs
2540 kgs
tractor : 5200mm x 1560mm x 2000mm
trailer : 5200mm x 1560mm x 2000mm

PRODUCTS

